

























MAGNET CATALOG

























Magfine Corporation

























Japan +81 022 281 3956 Miyagi Sendai-shi Taihaku-ku Moniwa-aza-hitokitanishi 111-10 Japan 982-0251





Italia +39 0566 53094 Via del Fonditore, 806, 58022 Follonica (GR) Italia

Copyright © Magfine Corporation. Published 2020 March

IMG	CODE	MATERIAL	DIMENSIONS	FLUX DENSITY	ATTRACTIVE FORCE
	NSC0071	Neodymium	4mmX4mmX1.5mm/M1.4	266.6mT	0.304kgf
	NSC0017	Neodymium	5mmX5mmX2mm/M1.4	292.7mT	0.484kgf
	NSC0018	Neodymium	5mmX5mmX3mm/M1.4	367.4mT	0.734kgf
	NSC0019	Neodymium	6mmX6mmX2mm/M1.4	267.3mT	0.657kgf
	NSC0020	Neodymium	6mmX6mmX3mm/M1.4	347.3mT	0.879kgf
	NSC0021	Neodymium	6mmX6mmX4mm/M1.4	398.8mT	1.15kgf
	NSC0022	Neodymium	8mmX8mmX3mm/M2	302.3mT	1.22kgf
	NSC0023	Neodymium	8mmX8mmX4mm/M2	361.2mT	1.56kgf
	NSC0024	Neodymium	8mmX8mmX5mm/M2	403.6mT	1.95kgf
	NSC0045	Neodymium	8mmX8mmX6mm/M2	434mT	2.25kgf
	NSC0015	Neodymium	10mmX10mmX3mm/M3	265.7mT	1.73kgf
	NSC0025	Neodymium	10mmX10mmX4mm/M3	326.4mT	1.94kgf
	NSC0026	Neodymium	10mmX10mmX5mm/M3	373.6mT	2.44kgf
	NSC0027	Neodymium	10mmX10mmX6mm/M3	409.7mT	2.93kgf
	NSC0008	Neodymium	12mmX7mmX3mm/M2	288.1mT	1.64kgf
	NSC0028	Neodymium	12mmX12mmX3mm/M3	234.4mT	2.21kgf
	NSC0029	Neodymium	12mmX12mmX4mm/M3	293.7mT	2.65kgf
	NSC0030	Neodymium	12mmX12mmX5mm/M3	342.3mT	2.83kgf
	NSC0031	Neodymium	12mmX12mmX6mm/M3	381.5mT	3.51kgf
	NSC0032	Neodymium	14mmX14mmX3mm/M3	207.8mT	2.65kgf
	NSC0033	Neodymium	14mmX14mmX4mm/M3	263.9mT	3.32kgf
	NSC0034	Neodymium	14mmX14mmX5mm/M4	311.9mT	3.72kgf
	NSC0052	Neodymium	14mmX14mmX6mm/M4	352.1mT	3.99kgf
	NSC0009	Neodymium	15mmX5mmX3mm/M1.4	325.1mT	1.77kgf

IMG	CODE	MATERIAL	DIMENSIONS	FLUX DENSITY	ATTRACTIVE FORCE
	NSC0010	Neodymium	15mmX10mmX3mm/M3	236.8mT	2.39kgf
	NSC0011	Neodymium	15mmX10mmX5mm/M3	343.1mT	3.03kgf
	NSC0035	Neodymium	15mmX15mmX3mm/M3	196.6mT	2.85kgf
	NSC0036	Neodymium	15mmX15mmX4mm/M3	251mT	3.65kgf
	NSC0037	Neodymium	15mmX15mmX5mm/M4	298.3mT	4.16kgf
	NSC0004	Neodymium	15mmX15mmX6mm/M4	338.6mT	4.41kgf
	NSC0038	Neodymium	15mmX15mmX8mm/M4	401.2mT	5.88kgf
	NSC0039	Neodymium	16mmX16mmX3mm/M4	187.2mT	3.04kgf
	NSC0040	Neodymium	16mmX16mmX4mm/M4	240.1mT	3.96kgf
	NSC0041	Neodymium	16mmX16mmX5mm/M4	286.6mT	4.59kgf
	NSC0042	Neodymium	16mmX16mmX8mm/M4	390.7mT	6.25kgf
	NSC0005	Neodymium	17mmX12mmX5mm/M3	312.5mT	3.95kgf
	NSC0043	Neodymium	18mmX18mmX3mm/M4	171.5mT	3.39kgf
	NSC0044	Neodymium	18mmX18mmX4mm/M4	221.5mT	4.56kgf
	NSC0051	Neodymium	18mmX18mmX5mm/M4	266.6mT	5.43kgf
	NSC0065	Neodymium	18mmX18mmX8mm/M4	372mT	6.9kgf
	NSC0046	Neodymium	18mmX18mmX10mm/M4	421mT	8.83kgf
	NSC0055	Neodymium	19.5mmX10.5mmX3mm/M3	218.4mT	3.1kgf
	NSC0001	Neodymium	20mmX10mmX3mm/M3	223.5mT	3.15kgf
	NSC0056	Neodymium	20mmX10mmX3mm/M2	223.5mT	3.15kgf
	NSC0072	Neodymium	20mmX10mmX10mm/M3	459.9mT	6.94kgf
	NSC0047	Neodymium	20mmX20mmX3mm/M4	155.6mT	3.71kgf
	NSC0012	Neodymium	20mmX20mmX5mm/M5	244.7mT	6.24kgf
	NSC0048	Neodymium	20mmX20mmX8mm/M4	348mT	7.89kgf

IMG	CODE	MATERIAL	DIMENSIONS	FLUX DENSITY	ATTRACTIVE FORCE
	NSC0049	Neodymium	20mmX20mmX10mm/M4	398.3mT	9.76kgf
	NSC0059	Neodymium	25mmX10mmX3mm/M3	218mT	4kgf
	NSC0053	Neodymium	25mmX25mmX6mm/M5	236.5mT	9.51kgf
	NSC0013	Neodymium	30mmX10mmX3mm/M3	215.3mT	4.91kgf
	NSC0057	Neodymium	30mmX20mmX7.5mm/M5	294.1mT	11.2kgf
	NSC0050	Neodymium	30mmX30mmX3mm/M4	105.8mT	4.95kgf
	NSC0014	Neodymium	30mmX30mmX5mm/M5	171.5mT	9.65kgf
	NSC0073	Neodymium	34.5mmX20mmX5mm/M5	204.3mT	9.47kgf
	NSC0061	Neodymium	35mmX10mmX3mm/M3	214.5mT	5.89kgf
	NSC0002	Neodymium	35mmX20mmX5mm/M5	203.6mT	9.6kgf
	NSC0006	Neodymium	40mmX10mmX3mm/M3	212.4mT	6.92kgf
	NSC0054	Neodymium	40mmX40mmX10mm/M5	244.7mT	25.7kgf
	NSC0062	Neodymium	45mmX10mmX3mm/M3	211mT	7.99kgf
	NSC0003	Neodymium	50mmX10mmX3mm/M3	210mT	9.1kgf
	NSC0063	Neodymium	55mmX10mmX3mm/M3	209.2mT	10.2kgf
	NSC0007	Neodymium	60mmX10mmX3mm/M3	208.6mT	11.4kgf
	NSC0075	Neodymium	60mmX10mmX5mm/M3	303.8mT	17.2kgf
	NSC0064	Neodymium	65mmX10mmX3mm/M3	208.2mT	12.6kgf
	NSC0058	Neodymium	67mmX10mmX5mm/M3	302.8mT	19.9kgf
	NSC0066	Neodymium	70mmX10mmX3mm/M3	207.8mT	13.8kgf
	NSC0070	Neodymium	75mmX10mmX3mm/M3	207.5mT	15kgf
	NSC0016	Neodymium	80mmX10mmX3mm/M3	207.3mT	16.3kgf
	NSC0074	Neodymium	80mmX10mmX5mm/M3	301.6mT	25.3kgf
	NSC0077	Neodymium	80mmX15mmX5mm/M4	228mT	25.2kgf

IMG	CODE	MATERIAL	DIMENSIONS	FLUX DENSITY	ATTRACTIVE FORCE
	NSC0067	Neodymium	85mmX10mmX3mm/M3	207.1mT	17.6kgf
	NSC0068	Neodymium	90mmX10mmX3mm/M3	206.9mT	18.9kgf
	NSC0069	Neodymium	95mmX10mmX3mm/M3	206.8mT	20.2kgf
	NSC0060	Neodymium	100mmX10mmX3mm/M3	206.6mT	21.5kgf